

Certificate of Analysis

Issue Date: 17-10-2025
Analysis Date: 16-10-2025
Expiration Date: 16-10-2027
Customer: PLO Supplies B.V.
Address:


Product Name: VAPE DISTILLATE
Batch ID: PA 45570394
Matrix: Distillate
Testing method used: LC:MS
Authorisation: PA

Cannabinoid Profile & Potency

ID	Weight %	Conc.
CBD	30.054%	300.541 mg/g
CBG	16.261%	162.609 mg/g
D9-THCV	ND	ND
CBDV	0.351%	3.514 mg/g
CBC	9.335%	93.351 mg/g
CBN	13.595%	135.946 mg/g
CBT	1.68%	16.757 mg/g
CBGA	ND	ND
CBCA	ND	ND
CBE	4.324%	43.243 mg/g
CBL	0.26%	2.595 mg/g
CBDA	ND	ND
THCX	19.34%	193.400 mg/g
10-OH-HHC	ND	ND
9(R)-HHC	ND	ND
9(S)-HHC	ND	ND
9(S)-HHCP	ND	ND
9(S)-HHCP	ND	ND
9(R)-HHCO	ND	ND
9(S)-HHCO	ND	ND
(R)-H4CBD	ND	ND
(S)-H4CBD	ND	ND
D8-THC	ND	ND
THCP	ND	ND
D9-THCA	ND	ND
D9-THCB	ND	ND
D9 THC	ND	ND
THC-JD	ND	ND
Total CC	95.195%	951.955 mg/g

Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD

Testing Sample



This product has been Quality Control tested by CBM-Labs Europe B.V. Values reported relate only to the product tested. This certificate shall not be reproduced except in full, without the written approval of CBM-Labs Europe B.V. For more information visit the website: www.cannablast.eu

Signature:



CBM-Labs Europe B.V.
VAT: NL860851175B01

Web: www.cannablast.eu
Email: info@cannablast.com

Chamber of Commerce
CoC: 76951359