

CERTIFICATE OF ANALYSIS No.: 2026-18096

CLIENT

PLO Supplies B.V. , Joop Geesinkweg 501
1114AB Amsterdam-Duivendrecht, Netherlands



SAMPLE *

High Life drops - Mango - Sativa

Sample condition: SUITABLE
Sample ID: 2612015
Sample type: Viscous liquid
Batch No.: *

Work order: 2026-113271
Analysis ID: 2026_079
Method ID: PHL_RPC_16C
Method SOP: MET-LAB-001-08

Sample received: 19/03/2026
Start of analysis: 19/03/2026
End of analysis: 20/03/2026
Analyst: Valentina Malin

* Information provided by the client.

CANNABINOID PROFILE		Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV	- Cannabidivarin	< LOQ	n/a	_____
CBDA	- Cannabidiolic acid	< LOQ	n/a	_____
CBGA	- Cannabigerolic acid	< LOQ	n/a	_____
CBG	- Cannabigerol	0.50	0.12	██████████
CBD	- Cannabidiol	1.429	0.071	████████████████████
THCV	- Tetrahydrocannabivarin	< LOQ	n/a	_____
CBN	- Cannabinol	0.054	0.012	█
Δ⁹-THC	- Δ-9-Tetrahydrocannabinol	< LOQ	n/a	_____
Δ⁸-THC	- Δ-8-Tetrahydrocannabinol	< LOQ	n/a	_____
CBL	- Cannabicyclol	< LOQ	n/a	_____
CBC	- Cannabichromene	0.050	0.011	█
Δ⁹-THCA	- Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	_____
CBV	- Cannabivarin	< LOQ	n/a	_____
CBCA	- Cannabichromenic acid	< LOQ	n/a	_____
CBT	- Cannabicitran	0.203	0.034	████
CBE	- Cannabielsoin	0.113	0.026	████

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. **Expanded Uncertainty** was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

20/03/2026

Approved by:

mag. Valentina Malin
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar
Chief Technology Officer

End of Certificate